

FRESNO EOC Head Start 0 to 5 Pest Control Services Request for Proposal (RFP) – Question and Responses

Head Start 0 to 5
1920 Mariposa Street
Suite #200
Fresno, CA 93721
Office: (559) 263-1200
Fax: (559) 263-1287

Date: May 15, 2026

Question 1: Verification of Disabled Veteran

1. What type of documentation is needed to verify a disabled veteran business owner.

Response 1: Verification of Disabled Veteran

1. Bidders can self-attest to meet this requirement by using Attachment A - Diverse Business Self Declaration Form

Question 2: Services Requested

1. Under identification and pest (two termites and bedbugs) are you wanting to include those in the part of the service? If so, you that would change the bidding price.

Response 2: Services Requested

1. No. These do not need to be in the cost of service of your monthly rate. If you do provide, just indicate this is a service that is “available upon request.”

Question 3: Addendum signature request

1. All addendums need to be signed at the end of this meeting?

Response 3: Addendum signature request

1. Yes, they all need to be signed.

Question 4: Bidding Openings

1. If we say we would get the bid and another job opens up, does EOC have the right to open it up for another vendor?

Response 4: Bidding Openings

1. Per Section 1 - General Proposal Requirements, NON-EXCLUSIVE AGREEMENT – This establishes Fresno EOC’s right to use others to perform work, request future proposals from other contractors, and the unrestricted right to bid out on any work or services that are being provided by a contractor under contract.

Question 5: Total Attendees at previous meeting

1. How many people were at the last meeting?

Response 5: Bidding Openings

1. Two.

Question 6: RFPs

1. How often do you send these RFPs out?

Response 6: RFPs

1. Every few years depending on the length of the current contract.

Question 7: Gophers

1. Do we handle gopher work out in the play yards?

Response 7: Gophers

1. Yes, on an as-needed basis. The proposer can list this service as “available upon request.” Do not include in your monthly rate.

Question 8: Schedule for Service

1. Is there anything in the contract for the pest control that will states if any of these are needed to be done after hours or on the weekend or what is expected as that will change the bidding price?

Response 8: Schedule for Service

1. Pest Control services are not allowed when children are pest. Centers hours from 8:00 am to 4:30 pm.

Question 9: Structure of Proposal

1. Regarding the structure of the proposal. We have an example on the RFP, can we still provide our structure or do we need to stick to what is listed on there? Page 15.

Response 9: Structure of Proposal

1. Per Section – 4 RFP Response Content. PROPOSAL CONTENT AND ORGANIZATION Proposers must respond to all information requested. Brochures or advertisements are not acceptable substitutes. Your submission must include the following documents in the order listed:

Question 10: Insurance

1. For insurance do you need a certificate to show that?

Response 10: Insurance

1. Yes.

Question 11: Center Walk-through

1. Are we doing the walk-through at the centers today?

Response 11: Center Walk-through

1. Yes.

Question 12: Center Kitchens

1. Do all of the sites have kitchens?

Response 12: Center Kitchens

1. All centers, at a minimum have a prep area, that include ovens, warmers, refrigerators, and microwaves. All meals are prepared at an off-site location.

Question 13: Spider Webs

1. Do you need web removal?

Response 13: Spider Webs

1. Yes, on an as needed basis.

Question 14: Buildings connected to the Centers

1. If the center is located or shared with a church or any other building, are we responsible to service all buildings or only where Head Start uses?

Response 14: Buildings connected to the Centers

1. Only where the Head Start program uses its building or outside area.

Question 15: Amount of Sites

1. You said there are 34 sites?

Response 15: Amount of Sites

1. Correction, there are 32 sites listed in the RFP.

Question 16: Unlimited types of pests.

1. The term “Including but not limited to” creates the possibility of all known life and can be a costly proposal. Is that what it’s intent?

Response 16: Unlimited types of pests.

1. No, the intent is for a General Pest Control service (Branch 2) for the monthly service. We would like the proposer to list, without cost, all services they provide outside of the monthly base service.

Question 17: Mosquitoes

1. Do you distribute or have personal repellents on the sites for occupant use? If I build in costs to provide effective low risk IPM Mosquito solutions (repellants, fans, light traps, attractant traps, pre-emergent traps, adulticide applications etc.) the cost per month per location will skyrocket.
2. Is it reasonable to reconsider this target outside of the RFP

Response 17: Mosquitoes

1. No, we do not.
2. Yes, please do not include mosquitos’ control in your monthly rate.

Question 18: Bedbugs

1. Are there sites that can be excluded?
2. Are the pesticides Apprehend or Alpine on your list of approve materials?
3. Are the bedbug issues that prompt this question widespread or mostly at certain locations?

Response 18: Bedbugs

1. Do not include in your proposal the cost of bedbugs in your monthly rate.

Question 19: Snakes

1. Should we include snake control in our monthly cost?

Response 19:Snakes

1. No, do not include snake control in your monthly cost.

Question 20: Rats

1. Should we include rat control in our monthly cost?

Response 20: Rats

1. No, do not include rate control in your monthly cost.

Question 21: Fumigations

1. Should we include fumigation services in our monthly cost?

Response 21: Fumigations

1. No, do not include fumigation services in your monthly cost.

Question 22: Valid State of California Business License

1. There is not a “State of California Business License”. There is a CA Structural Pest Control Board Company Registration. This is commonly called Principal Registration (PR): Our PR is: PR 9106 Does this meet your State of California Business License request?

Response 22: Valid State of California Business License

1. Provide valid business license (s) to conduct services in all cities and areas within the City and County of Fresno where Head Start Centers are located.

Question 23: Insurance

1. We meet or exceed the requested minimums. However, I would like to confirm that you require Umbrella/ Excess Liability coverage for the corporation? If we have Umbrella excess liability, I think it is personal coverage. Is this personal coverage acceptable for this condition?

Response 23: Insurance

1. Umbrella/Excess coverage is required per the RFP. Personal coverage is acceptable if it meets the requirements for Umbrella coverage.

Question 24: Education and Experience

1. My demonstrated experience in servicing Childcare facilities is dated as much of it is over ten years old: I have extensive experience at School District one of the largest in California , Elk Grove Unified School District the 5th largest in California, and a handful of other smaller facilities across California, Colorado, Oregon, Arizona and Hawaii. Does this information seem sufficient to meet the standards requested?

Response 24: Education and Experience

1. Unfortunately, we cannot answer this question. It is up to the bidder to determine what information they should submit for their education and experience requirements.

Question 25: IPM Coordinator

1. Please provide the name and contact information of the designated IPM COORDINATOR

Response 25: IPM Coordinator

1. Currently, the Facilities Manager's position responsible for the IPM is currently vacant.

Question 26: IPM Plan

1. Please provide the FEOC or head start IPM Plan designed for HSA compliance at the Head Start sites.

Response 26: IPM Plan

1. See Attachment B – Fresno EOC IPM Plan.

Question 27: Approved Material List

1. Please share the FEOC Head Start approved use materials list and if there is a list of non-approved materials

Response 27: Approved Material List

1. See Attachment C - Fresno EOC Material List 2025-2026

Question 28: WDO inspections, reports, or treatments.

1. If any site records exist regarding WDO inspections, reports, or treatments including: pre or post construction inspections, limited or complete or supplemental or re-inspection inspections as identified by the CA SPCB or Notices of Completion as identified by the CA SPCB, If any known wall or roof porosity and invasion sites exist, or if property damage caused by pests are known, please provide these known or recorded data points.

Response 28: WDO inspections, reports, or treatments.

1. Three (3) WDO Inspection Reports - See Attachment D - WDO Termite - Inspection Report

Question 29: Fees

1. Please disclose all fees paid during the last year including the agreed month cost at each site and any additional fees paid for pest control services at the identified locations.

Response 29: Fees

1. Our records indicate we paid \$22,400 in 2025 for pest control services for all of our sites, including special requests not included in monthly service.



Fresno
**Economic
Opportunities
Commission**

Dr. Robert Pimentel Board Chair
Steven R. Lewis Chief Executive Officer

ATTACHMENTS

Attachment A - Diverse Business Self Declaration Form

DIVERSE BUSINESS DECLARATION (MBE/WBE/DVBE/SBE)

RESPONDENT TO COMPLETE AND RETURN WITH PROPOSAL

Certification Status:

Please check all that apply to your firm:

- **MBE:** Minority Business Enterprise
- **WBE:** Women-Owned Business Enterprise
- **DVBE:** Disabled Veteran Business Enterprise
- **SBE:** Small Business Enterprise
- **N/A:** None of the above

Supporting Documentation: To receive points under the "Best Value" weighted evaluation, please attach a copy of your valid certification from one of the following:

- California Department of General Services (DGS)
- U.S. Small Business Administration (SBA)
- National Minority Supplier Development Council (NMSDC)
- Other (Please Specify): _____

Declaration:

The undersigned certifies that the diversity status indicated above is true and accurate as of the date of submission.

Signature: _____ **Date:** _____

Printed Name: _____ **Title:** _____

Attachment B - Fresno EOC IPM Plan

School District Integrated Pest Management Plan

When completed, this template meets the Healthy Schools Act requirement for an integrated pest management (IPM) plan. An IPM plan is required if a school district uses pesticides¹

Contacts

Fresno Economic Opportunities Commission
School District Name **+** 1920 Mariposa St, Ste 300, Fresno, CA 93721
Address

Head Start Facilities Manager (Vacant)
District IPM Coordinator **+** 559-263-1000
IPM Coordinator's Phone Number Email Address

IPM statement

It is the goal of Fresno EOC **+** to implement IPM by focusing on long-term prevention or suppression of pests through accurate pest identification, by frequent monitoring for pest presence, by applying appropriate action levels, and by making the habitat less conducive to pests using sanitation and mechanical and physical controls. Pesticides that are effective will be used in a manner that minimizes risks to people, property, and the environment, and only after other options have been shown ineffective.

Our pest management objectives are to: *(Example: Focus on long-term pest prevention)*

Fresno EOC will focus on using the industry's best practices to provide a safe and healthy learning environment for students, faculty, staff and the community.

IPM team

In addition to the IPM Coordinator, other individuals who are involved in purchasing, making IPM decisions, applying pesticides, and complying with the Healthy Schools Act requirements, include:

Name and/or Title	Role in IPM program
Head Start Facilities Manager (Vacant)	IPM Coordinator

Pest management contracting

- Pest management services are contracted to a licensed pest control business.
Pest Control Business name(s): EagleShield Pest Control, Inc. **+**
- Prior to entering into a contract, the school district has confirmed that the pest control business understands the training requirement and other requirements of the Healthy Schools Act.

Pest identification, monitoring and inspection

Pest Identification is done by: EagleShield Pest Control, Inc. **+**
(Example: College/University staff, Pest Control Business, etc.)

Monitoring and inspecting for pests and conditions that lead to pest problems are done regularly by EagleShield Pest Control, Inc. **+** and results are communicated to the IPM Coordinator.
(Example: District staff title, e.g. Maintenance staff)

Specific information about monitoring and inspecting for pests, such as locations, times, or techniques include:
(Example: Sticky monitoring boards are placed in the kitchen and are checked weekly by custodial staff.)

Fresno EOC facilities are cleaned daily by custodial services staff. Any sign of active pest species will be reported to the IPM Coordinator. The IPM Coordinator will work with EagleShield Pest Control, Inc. to mitigate the pest problem.

Pests and non-chemical management practices

This school district has identified the following pests and routinely uses the following non-chemical practices to prevent pests from reaching the action level:

Pest	Remove food	Fix leaks	Seal cracks	Install barriers	Physical removal	Traps	Manage irrigation	Other
Roaches	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Sanitation +
Ants	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sanitation +
Spiders	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Sanitation +
Rodents	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Sanitation +
Gophers	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Chemical pest management practices

If non-chemical methods are ineffective, the school district will consider pesticides only after careful monitoring indicates that they are needed according to pre-established action levels and will use pesticides that pose the least possible hazard and are effective in a manner that minimizes risks to people, property and the environment.

This school district expects the following pesticides (pesticide products and active ingredients) to be applied during the year. (This list includes pesticides that will be applied by school district staff or licensed pest control businesses.):

See attached

Healthy Schools Act

- This school district complies with the notification, posting, recordkeeping, and all other requirements of the Healthy Schools Act. (Education Code Sections 17608 - 17613, 48980.3; Food & Agricultural Code Sections 13180 - 13188)

Training

Every year school district employees who make pesticide applications receive the following training prior to pesticide use:

- Pesticide specific safety training (Title 3 California Code of Regulations 6724)
- School IPM training course approved by the Department of Pesticide Regulation (Education Code Section 16714; Food & Agricultural Code Section 13186.5).

Submittal of pesticide use reports

- Reports of all pesticides applied by school district staff during the calendar year, except pesticides exempt¹ from HSA recordkeeping, are submitted to the Department of Pesticide Regulation at least annually, by January 30 of the following year, using the form provided at www.cdpr.ca.gov/schoolipm. (Education Code Section 16711)

Notification

This school district has made this IPM plan publicly available by the following methods (check at least one):

- This IPM plan can be found online at the following web address: fresnoeoc.org
- This IPM plan is sent out to all parents, guardians and staff annually.

Review

- This IPM plan will be reviewed (and revised, if needed) at least annually to ensure that the information provided is still true and correct.

Date of next review: July 1, 2026

I acknowledge that I have reviewed this school district's IPM Plan and it is true and correct.

Signature: _____ Date: _____

¹ These pesticides are exempt from all Healthy Schools Act requirements, except the training requirement: 1) products used in self-contained baits or traps, 2) gels or pastes used as crack and crevice treatments, 3) antimicrobials, and 4) pesticides exempt from U.S. EPA registration. (Education Code Section 17610.5)



VISALIA BRANCH

4840 W Mineral King Ave, Visalia, CA 93291
(559) 667-9187
eagleshieldna.com

GABRIEL LUA
Branch Manager

Fresno EOC Chemical List, 2025-2026

The pesticides listed below are the chemicals EagleShield Pest Control assume to apply to control pests during the full duration of the contracted agreement with Fresno EOC.

Essentria IC Pro
Demand/Cyzmic CS
Suspend Polyzone
Advion Insect Granular Bait
Vendetta Plus Roach Gel Bait
Advion Ant Gel Bait
Apline WSG
Cyper TC
Omega/Avalon Gopher Grain Bait

Don't hesitate to reach out if you have any questions.


Thank you,

Gabriel Lua
Branch Manager

Attachment D - WDO Termite - Inspection Reports

WOOD DESTROYING PESTS AND ORGANISMS INSPECTION REPORT

Building Address: 16673 Palmer Ave, Huron, CA 93234		Date of Inspection 04/01/2022	Number of Pages 6
EagleShield Pest Control Inc 5644 E Westover Ave. Ste 113 Fresno CA 93727 Phone: (559) 475-6805 Fax:		Report # W8377	
		Lic. Registration # PR 7017	
		Escrow #	
Ordered by: Huron Head Start 16673 Palmer Ave Huron, CA 93234	Property Owner and/or Party of Interest: Huron Head Start 16673 Palmer Ave Huron, CA 93234	Report Sent to: Huron Head Start 16673 Palmer Ave Huron, CA 93234	
COMPLETE REPORT <input type="checkbox"/> LIMITED REPORT <input checked="" type="checkbox"/> SUPPLEMENTAL REPORT <input type="checkbox"/> REINSPECTION REPORT <input type="checkbox"/>			
General Description: Single Story Portable, Raised Foundation, Wood Siding		Inspection Tag Posted:	
		Other Tags Posted: None	
An inspection has been made of the structure(s) shown on the diagram in accordance with the Structural Pest Control Act. Detached porches, detached steps, detached decks and any other structures not on the diagram were not inspected.			
Subterranean Termites <input type="checkbox"/> Drywood Termites <input checked="" type="checkbox"/> Fungus / Dryrot <input type="checkbox"/> Other Findings <input type="checkbox"/> Further Inspection <input checked="" type="checkbox"/>			
If any of the above boxes are checked, it indicates that there were visible problems in accessible areas. Read the report for the details on checked items.			



This Diagram is not to scale

Inspected by: Luke Mirafior **State License No.** FR 61752 **Signature**

You are entitled to obtain copies of all reports and completion notices on this property reported to the Structural Pest Control Board during the preceding two years. To obtain copies contact: Structural Pest Control Board, 2005 Evergreen Street, Ste. 1500, Sacramento, California 95815.

NOTE: Questions or problems concerning the above report should be directed to the manager of the company. Unresolved questions or problems with the services performed may be directed to the Structural Pest Control Board at (916) 561-8708, (800) 737-8188 or www.pestboard.ca.gov

SECOND PAGE OF STANDARD INSPECTION REPORT OF THE PROPERTY LOCATED AT:

Address 16673 Palmer Ave, Huron, CA 93234

04/01/2022

W8377

Date

Report #

What Is a Wood Destroying Pest and Organism Inspection Report?

The following explains the scope and limitations of a structural pest control inspection and a Wood Destroying Pest & Organism Inspection Report.

A Wood Destroying Pest & Organism Inspection Report contains findings as to the presence or absence of wood destroying insects or organisms in visible and accessible areas on the date of inspection and contains our recommendations for correcting any infestations, infections, or conditions found. The contents of the wood destroying pest & organism inspection report are governed by the structural pest control act and its rules and regulations. The Wood Destroying Pest & Organism Inspection Reports are good for thirty (30) days from the Date of Inspection.

Some structures may not comply with building code requirements or may have structural, plumbing, electrical, heating and air conditioning, or other defects that do not pertain to this report. This report does not address any such defects as they are not within the scope of the license of the inspector or the company issuing this report.

The following areas are considered inaccessible for purposes of inspection or are not included in a normal inspection report and therefore are excluded in this report: the interior of hollow walls; spaces between an upstairs floor and the ceiling below or a porch deck and soffit below; stall showers over finished ceilings; such structural segments as areas enclosed by bay windows, buttresses, built-in cabinet work, areas under floor covering; any areas requiring the removal of storage, furnishings or appliances; and any areas to which there is no access without defacing or removing lumber, masonry or finished workmanship.

Certain areas are recognized by the industry as inaccessible and/or for other reasons not inspected. These areas include, but are not limited to: inaccessible and/or insulated attics or portions thereof, attics with less than an 18" clear crawl space, the interior of hollow walls, spaces between a floor or porch deck and the ceiling below, areas where there is no access without defacing or tearing out lumber, masonry or finished work that make inspection impractical, and areas or timbers around eaves that would require use of an extension ladder.

Certain areas may be inaccessible for inspection due to construction or storage. We recommend further inspection of areas where inspection was impractical. Re: Structural Pest Control Act, Business and Professions Code Article 1, 8516(b)(9). Stall shower, if any, is water tested in compliance with Title 16 Professional and Vocational Regulations Article 5, §1991.1(12) of the Structural Pest Control Act. The absence or presence of leaks through sub-floor, adjacent floors or walls will be reported. This is a report of the condition of the stall shower at the time of inspection only, and should not be confused as a guarantee. Although we make a visual examination, we do not deface or probe into window or door frames, decorative trim, roof members, etc., in search of wood destroying pests or organisms.

"This company will reinspect repairs done by others within four months of the original inspection. A charge, if any, can be no greater than the original inspection fee for each reinspection. The reinspection must be done within ten (10) working days of request. The reinspection is a visual inspection and if inspection of concealed areas is desired, inspection of work in progress will be necessary. Any guarantees must be received from parties performing repairs."

NOTE: We do not inspect or certify plumbing, plumbing fixtures, etc.

NOTE: "The exterior surface of the roof was not inspected. If you want the water tightness of the roof determined, you should contact a roofing contractor who is licensed by the Contractors' State License Board."

"NOTICE: The charge for service that this company subcontracts to another registered company may include the company's charges for arranging and administering such services that are in addition to the direct costs associated with paying the subcontractor. You may accept EagleShield Pest Control Inc's bid or you may contract directly with another registered company licensed to perform the work.

If you choose to contract directly with another registered company, EagleShield Pest Control Inc will not in any way be responsible for any act or omission in the performance of work that you directly contract with another to perform."

"NOTICE: Reports on this structure prepared by various registered companies should list the same findings (i.e. termite infestations, termite damage, fungus damage, etc.). However, recommendations to correct these findings may vary from company to company. You have a right to seek a second opinion from another company."

This Wood Destroying Pest & Organisms Report DOES NOT INCLUDE MOLD or any mold like conditions. No reference will be made to mold or mold-like conditions. Mold is not a Wood Destroying Organism and is outside the scope of this report as defined by the Structural Pest Control Act. If you wish your property to be inspected for mold or mold-like conditions, please contact the appropriate mold professional.

"Local treatment is not intended to be an entire structure treatment method. If infestations of wood-destroying pests extend or exist beyond the area(s) of local treatment, they may not be exterminated."

THIRD PAGE OF STANDARD INSPECTION REPORT OF THE PROPERTY LOCATED AT:

Address 16673 Palmer Ave, Huron, CA 93234

04/01/2022

W8377

Date

Report #

This is a separated report which is defined as Section I/Section II conditions evident on the date of the inspection. Section I contains items where there is visible evidence of active infestation, infection or conditions that have resulted in or from infestation of infection. Section II items are conditions deemed likely to lead to infestation or infection but where no visible evidence of such was found. Further inspection items are defined as recommendations to inspect area(s) which during the original inspection did not allow the inspector access to complete the inspection and cannot be defined as Section I or Section II.

FINDINGS AND RECOMMENDATIONS

NOTE: This is a limited inspection report requested by the owner, limited to the inspection of the INTERIOR AT BASE OF WALL only.
Note: It is recommended that further inspection of the entire structure be made in accordance with Structural Pest Control regulations.

Other Interior:

10A PRICE: \$795.00 (Section I)
FINDINGS: Evidence of drywood termite infestation at BOTTOM OF INTERIOR WALL as indicated on the diagram.
RECOMMENDATION: Chemically treat visible and accessible infestations. Remove or cover accessible pellets.
NOTE: FURTHER INSPECTION IS RECOMMENDED TO ASSESS TERMITE DAMAGE.

FOURTH PAGE OF STANDARD INSPECTION REPORT OF THE PROPERTY LOCATED AT:

Address 16673 Palmer Ave, Huron, CA 93234

04/01/2022

W8377

Date

Report #

In accordance with the laws and regulations of the State of California, we are required to provide you with the following information prior to application of pesticides to your property.

"State law requires that you be given the following information: CAUTION--PESTICIDES ARE TOXIC CHEMICALS. Structural Pest Control Companies are registered and regulated by the Structural Pest Control Board, and apply pesticides which are registered and approved for use by the California Department of Pesticide Regulation and the United States Environmental Protection Agency. Registration is granted when the state finds that, based on existing scientific evidence, there are no appreciable risks if proper use conditions are followed or that the risks are outweighed by the benefits. The degree of risk depends upon the degree of exposure, so exposure should be minimized."

"If within 24 hours following application you experience symptoms similar to common seasonal illness comparable to the flu, contact your physician or poison control center (800) 222-1222 and your pest control company immediately."

For further information, contact any of the following:

EagleShield Pest Control Inc	(559) 475-6805
Poison Control Center	(800) 222-1222
(Health Questions) County Health Dept.	
Fresno County	(559) 600-3550
Madera County	(559) 675-7893
Merced County	(209) 381-1200
Kings County	(559) 584-1401
Tulare County	(559) 624-8000
Orange County	(714) 834-3155
Los Angeles County	(213) 240-8117
San Bernardino County	(800) 782-4264
Riverside County	(951) 358-5000
San Diego County	(619) 229-5400
(Application Info.) County Agriculture Commission	
Fresno County	(559) 600-7510
Madera County	(559) 675-7876
Merced County	(209) 385-7431
Kings County	(559) 852-2830
Tulare County	(559) 684-3350
Orange County	(714) 955-0100
Los Angeles County	(626) 575-5471
San Bernardino County	(909) 387-2105
Riverside County	(951) 955-3045
San Diego County	(858) 694-2739
Structural Pest Control Board (Regulatory Info.)	(916) 561-8704
2005 Evergreen Street, Ste. 1500 Sacramento, CA 95815	

TERMITE AND FUNGUS CONTROL CHEMICALS

Termidor Foam (EPA Reg. No. 499-563)

Active Ingredients: Fipronil [5-amino-1-(2,6-dichloro-4-(trifluoromethyl)phenyl)-4-((1R,S)-(trifluoromethyl)sulfinyl)-1H-pyrazole-3-carbonitrile) - .005%

Termidor H-E (EPA Reg. No. 7969-329)

Active Ingredients: Fipronil: 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-[(1R,S)-(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile - 8.73%

NOTICE TO OWNER

Under the California Mechanics Lien Law any structural pest control company which contracts to do work for you, any contractor, subcontractor, laborer, supplier or other person who helps to improve your property, but is not paid for his or her work or supplies, has a right to enforce a claim against your property. This means that after a court hearing, your property could be sold by a court officer and the proceeds of the sale used to satisfy the indebtedness. This can happen even if you have paid your structural pest control company in full if the subcontractor, laborers or suppliers remain unpaid.

To preserve their right to file a claim or lien against your property, certain claimants such as subcontractors or material suppliers are required to provide you with a document entitled "Preliminary Notice." Prime contractors and laborers for wages do not have to provide this notice. A Preliminary Notice is not a lien against your property. Its purpose is to notify you of persons who may have a right to file a lien against your property if they are not paid.

FIFTH PAGE OF STANDARD INSPECTION REPORT OF THE PROPERTY LOCATED AT:

Address 16673 Palmer Ave, Huron, CA 93234

04/01/2022

W8377

Date

Report #

NOTE: If the Home Owner fails to pay billing in full, EagleShield Pest Control Inc will have the right to be paid back for all of its costs and expenses to the extent not prohibited by applicable law. Those expenses include, for example (but not limited to), reasonable attorney's fees. If for any reason this account is to be turned over to our collection agency, you will be responsible for all costs of collecting.

SIXTH PAGE OF STANDARD INSPECTION REPORT OF THE PROPERTY LOCATED AT:

Address 16673 Palmer Ave, Huron, CA 93234

04/01/2022

W8377

Date

Report #

Findings and Recommendations estimated by this Company:

Item	Approval	Primary Estimate	Section
10A	<input type="checkbox"/>	\$795.00	I

Complete all of the items quoted above with Primary Estimate.

Total Estimate \$795.00

Complete only the above Items checked.

Total \$ _____

I have read and understand the terms of the Report referenced above and agree to the terms and conditions set forth. EagleShield Pest Control Inc is hereby authorized to complete the Items selected above and it is agreed that payment shall be made as follows:

Payment shall be made as follows: With close of Escrow \$ _____ Deposit \$ _____ on Completion

Escrow Number: _____ Escrow Company: _____ Escrow Officer: _____

Phone () _____ - _____ Email: _____ Address: _____

Owner or Authorized Representative: Owner Representative's Title: _____


Print Name: _____ X _____ Date _____

Owner or Authorized Representative: Owner Representative's Title: _____

Print Name: _____ X _____ Date _____

WOOD DESTROYING PESTS AND ORGANISMS INSPECTION REPORT

Building Address: 1900 Saipan Ave 7, Firebaugh, CA 93622		Date of Inspection 01/16/2026	Number of Pages 6
EagleShield Pest Control Inc 2974 Phillip Ave Clovis CA 93612 Phone: (559) 475-6805 Fax:		Report # W9567	
		Lic. Registration # PR 7017	
		Escrow #	
Ordered by: Firebaugh Head Start 1900 Saipan Ave 7 Firebaugh, CA 93622	Property Owner and/or Party of Interest: Firebaugh Head Start 1900 Saipan Ave 7 Firebaugh, CA 93622	Report Sent to: Firebaugh Head Start 1900 Saipan Ave 7 Firebaugh, CA 93622	
COMPLETE REPORT <input type="checkbox"/> LIMITED REPORT <input checked="" type="checkbox"/> SUPPLEMENTAL REPORT <input type="checkbox"/> REINSPECTION REPORT <input type="checkbox"/>			
General Description: Single Story, Commercial, Composition Roof, Stucco Siding, Slab on Grade, Attached Rooms, Occupied. Limited inspection requested by Office Manager.		Inspection Tag Posted: Water Heater Closet	
		Other Tags Posted: None	
An inspection has been made of the structure(s) shown on the diagram in accordance with the Structural Pest Control Act. Detached porches, detached steps, detached decks and any other structures not on the diagram were not inspected.			
Subterranean Termites <input type="checkbox"/> Drywood Termites <input checked="" type="checkbox"/> Fungus / Dryrot <input type="checkbox"/> Other Findings <input type="checkbox"/> Further Inspection <input checked="" type="checkbox"/>			
If any of the above boxes are checked, it indicates that there were visible problems in accessible areas. Read the report for the details on checked items.			



This Diagram is not to scale

Inspected by: Luke Mirafior State License No. FR 61752 Signature

You are entitled to obtain copies of all reports and completion notices on this property reported to the Structural Pest Control Board during the preceeding two years. To obtain copies contact: Structural Pest Control Board, 2005 Evergreen Street, Ste. 1500, Sacramento, California 95815.

NOTE: Questions or problems concerning the above report should be directed to the manager of the company. Unresolved questions or problems with the services performed may be directed to the Structural Pest Control Board at (916) 561-8708, (800) 737-8188 or www. pestboard.ca.gov

SECOND PAGE OF STANDARD INSPECTION REPORT OF THE PROPERTY LOCATED AT:

Address 1900 Saipan Ave 7, Firebaugh, CA 93622

01/16/2026

W9567

Date

Report #

What Is a Wood Destroying Pest and Organism Inspection Report?

The following explains the scope and limitations of a structural pest control inspection and a Wood Destroying Pest & Organism Inspection Report.

A Wood Destroying Pest & Organism Inspection Report contains findings as to the presence or absence of wood destroying insects or organisms in visible and accessible areas on the date of inspection and contains our recommendations for correcting any infestations, infections, or conditions found. The contents of the wood destroying pest & organism inspection report are governed by the structural pest control act and its rules and regulations. The Wood Destroying Pest & Organism Inspection Reports are good for thirty (30) days from the Date of Inspection.

Some structures may not comply with building code requirements or may have structural, plumbing, electrical, heating and air conditioning, or other defects that do not pertain to this report. This report does not address any such defects as they are not within the scope of the license of the inspector or the company issuing this report.

The following areas are considered inaccessible for purposes of inspection or are not included in a normal inspection report and therefore are excluded in this report: the interior of hollow walls; spaces between an upstairs floor and the ceiling below or a porch deck and soffit below; stall showers over finished ceilings; such structural segments as areas enclosed by bay windows, buttresses, built-in cabinet work, areas under floor covering; any areas requiring the removal of storage, furnishings or appliances; and any areas to which there is no access without defacing or removing lumber, masonry or finished workmanship.

Certain areas are recognized by the industry as inaccessible and/or for other reasons not inspected. These areas include, but are not limited to: inaccessible and/or insulated attics or portions thereof, attics with less than an 18" clear crawl space, the interior of hollow walls, spaces between a floor or porch deck and the ceiling below, areas where there is no access without defacing or tearing out lumber, masonry or finished work that make inspection impractical, and areas or timbers around eaves that would require use of an extension ladder.

Certain areas may be inaccessible for inspection due to construction or storage. We recommend further inspection of areas where inspection was impractical. Re: Structural Pest Control Act, Business and Professions Code Article 1, 8516(b)(9). Stall shower, if any, is water tested in compliance with Title 16 Professional and Vocational Regulations Article 5, §1991.1(12) of the Structural Pest Control Act. The absence or presence of leaks through sub-floor, adjacent floors or walls will be reported. This is a report of the condition of the stall shower at the time of inspection only, and should not be confused as a guarantee. Although we make a visual examination, we do not deface or probe into window or door frames, decorative trim, roof members, etc., in search of wood destroying pests or organisms.

"This company will reinspect repairs done by others within four months of the original inspection. A charge, if any, can be no greater than the original inspection fee for each reinspection. The reinspection must be done within ten (10) working days of request. The reinspection is a visual inspection and if inspection of concealed areas is desired, inspection of work in progress will be necessary. Any guarantees must be received from parties performing repairs."

NOTE: We do not inspect or certify plumbing, plumbing fixtures, etc.

NOTE: "The exterior surface of the roof was not inspected. If you want the water tightness of the roof determined, you should contact a roofing contractor who is licensed by the Contractors' State License Board."

"NOTICE: The charge for service that this company subcontracts to another registered company may include the company's charges for arranging and administering such services that are in addition to the direct costs associated with paying the subcontractor. You may accept EagleShield Pest Control Inc's bid or you may contract directly with another registered company licensed to perform the work.

If you choose to contract directly with another registered company, EagleShield Pest Control Inc will not in any way be responsible for any act or omission in the performance of work that you directly contract with another to perform."

"NOTICE: Reports on this structure prepared by various registered companies should list the same findings (i.e. termite infestations, termite damage, fungus damage, etc.). However, recommendations to correct these findings may vary from company to company. You have a right to seek a second opinion from another company."

This Wood Destroying Pest & Organisms Report DOES NOT INCLUDE MOLD or any mold like conditions. No reference will be made to mold or mold-like conditions. Mold is not a Wood Destroying Organism and is outside the scope of this report as defined by the Structural Pest Control Act. If you wish your property to be inspected for mold or mold-like conditions, please contact the appropriate mold professional.

"Local treatment is not intended to be an entire structure treatment method. If infestations of wood-destroying pests extend or exist beyond the area(s) of local treatment, they may not be exterminated."

THIRD PAGE OF STANDARD INSPECTION REPORT OF THE PROPERTY LOCATED AT:

Address 1900 Saipan Ave 7, Firebaugh, CA 93622

01/16/2026

W9567

Date

Report #

This is a separated report which is defined as Section I/Section II conditions evident on the date of the inspection. Section I contains items where there is visible evidence of active infestation, infection or conditions that have resulted in or from infestation of infection. Section II items are conditions deemed likely to lead to infestation or infection but where no visible evidence of such was found. Further inspection items are defined as recommendations to inspect area(s) which during the original inspection did not allow the inspector access to complete the inspection and cannot be defined as Section I or Section II.

FINDINGS AND RECOMMENDATIONS

NOTE: Complete inspection is recommended, cost is \$250.

Other Interior:

- 10A PRICE: Bid Upon Request (Section I)
FINDINGS: Evidence of drywood termite infestation at CEILING as indicated on the diagram.
RECOMMENDATION: Vacate the premises and seal the structure for fumigation with Vikane Gas. Remove or cover accessible evidence of infestation. Fumigation warranted for two years. Fumigation awareness notice must be signed prior to fumigation. See fumigation notice for terms and liabilities.
- SECONDARY PRICE: \$750.00
SECONDARY RECOMMENDATION: SECONDARY RECOMMENDATION IN LIEU OF FUMIGATION:
Chemically treat visible and accessible infestations only. Remove or cover accessible evidence of infestation. This is a sub-standard recommendation. Limited guarantee due to concealed areas not being treated.
- 10B PRICE: Bid Upon Request (Section I)
FINDINGS: Evidence of termite damaged wood members noted at time of inspection at CEILING TILE as indicated on the diagram.
RECOMMENDATION: Replace termite damaged wood members as necessary. No painting is included in this estimate.
Note: If, during the course of repairs, damage is found that extends into inaccessible areas, a Supplemental Report will be issued with additional cost estimate.
-

FOURTH PAGE OF STANDARD INSPECTION REPORT OF THE PROPERTY LOCATED AT:

Address 1900 Saipan Ave 7, Firebaugh, CA 93622

01/16/2026

W9567

Date

Report #

In accordance with the laws and regulations of the State of California, we are required to provide you with the following information prior to application of pesticides to your property.

"State law requires that you be given the following information: CAUTION--PESTICIDES ARE TOXIC CHEMICALS. Structural Pest Control Companies are registered and regulated by the Structural Pest Control Board, and apply pesticides which are registered and approved for use by the California Department of Pesticide Regulation and the United States Environmental Protection Agency. Registration is granted when the state finds that, based on existing scientific evidence, there are no appreciable risks if proper use conditions are followed or that the risks are outweighed by the benefits. The degree of risk depends upon the degree of exposure, so exposure should be minimized."

"If within 24 hours following application you experience symptoms similar to common seasonal illness comparable to the flu, contact your physician or poison control center (800) 222-1222 and your pest control company immediately."

For further information, contact any of the following:

EagleShield Pest Control Inc	(559) 475-6805
Poison Control Center	(800) 222-1222
(Health Questions) County Health Dept.	
Fresno County	(559) 600-3550
Madera County	(559) 675-7893
Merced County	(209) 381-1200
Kings County	(559) 584-1401
Tulare County	(559) 624-8000
Orange County	(714) 834-3155
Los Angeles County	(213) 240-8117
San Bernardino County	(800) 782-4264
Riverside County	(951) 358-5000
San Diego County	(619) 229-5400
(Application Info.) County Agriculture Commission	
Fresno County	(559) 600-7510
Madera County	(559) 675-7876
Merced County	(209) 385-7431
Kings County	(559) 852-2830
Tulare County	(559) 684-3350
Orange County	(714) 955-0100
Los Angeles County	(626) 575-5471
San Bernardino County	(909) 387-2105
Riverside County	(951) 955-3045
San Diego County	(858) 694-2739
Structural Pest Control Board (Regulatory Info.)	(916) 561-8704
2005 Evergreen Street, Ste. 1500 Sacramento, CA 95815	

TERMITE AND FUNGUS CONTROL CHEMICALS

Vikane (EPA Reg. No. 1015-78-AA)
Active Ingredients: Sulfuryl Floride 99.8%

Dragnet SFR (EPA Reg. No. 279-3062-ZD)
Active Ingredients: Permethrin 36.8%

Invader (EPA Reg. No. 279-3395-AA)
Active Ingredients: Propoxur 1%

NOTICE TO OWNER

Under the California Mechanics Lien Law any structural pest control company which contracts to do work for you, any contractor, subcontractor, laborer, supplier or other person who helps to improve your property, but is not paid for his or her work or supplies, has a right to enforce a claim against your property. This means that after a court hearing, your property could be sold by a court officer and the proceeds of the sale used to satisfy the indebtedness. This can happen even if you have paid your structural pest control company in full if the subcontractor, laborers or suppliers remain unpaid.

To preserve their right to file a claim or lien against your property, certain claimants such as subcontractors or material suppliers are required to provide you with a document entitled "Preliminary Notice." Prime contractors and laborers for wages do not have to provide this notice. A Preliminary Notice is not a lien against your property. Its purpose is to notify you of persons who may have a right to file a lien against your property if they are not paid.

FIFTH PAGE OF STANDARD INSPECTION REPORT OF THE PROPERTY LOCATED AT:

Address 1900 Saipan Ave 7, Firebaugh, CA 93622

01/16/2026

W9567

Date

Report #

NOTE: If the Home Owner fails to pay billing in full, EagleShield Pest Control Inc will have the right to be paid back for all of its costs and expenses to the extent not prohibited by applicable law. Those expenses include, for example (but not limited to), reasonable attorney's fees. If for any reason this account is to be turned over to our collection agency, you will be responsible for all costs of collecting.

SIXTH PAGE OF STANDARD INSPECTION REPORT OF THE PROPERTY LOCATED AT:

Address 1900 Saipan Ave 7, Firebaugh, CA 93622

01/16/2026

W9567

Date

Report #

Findings and Recommendations estimated by this Company:

Item	Approval	Primary Estimate	Approval	Secondary Recommendation Estimate	Section
10A		Bid Upon Request	<input type="checkbox"/>	\$750.00	I
10B		Bid Upon Request			I

Complete all of the items quoted above with Primary Estimate.

Total Estimate \$.00

Complete all of the items quoted above substituting Primary Estimate with Secondary Estimate where applicable.

Total Estimate \$ 750.00

Complete only the above Items checked.

Total \$ _____

I have read and understand the terms of the Report referenced above and agree to the terms and conditions set forth. EagleShield Pest Control Inc is hereby authorized to complete the Items selected above and it is agreed that payment shall be made as follows:

Payment shall be made as follows: With close of Escrow \$ _____ Deposit \$ _____ on Completion

Escrow Number: _____ Escrow Company: _____ Escrow Officer: _____

Phone () _____ - _____ Email: _____ Address: _____

Owner or Authorized Representative: Owner Representative's Title: _____


Print Name: _____ X _____ Date _____

Owner or Authorized Representative: Owner Representative's Title: _____

Print Name: _____ X _____ Date _____

WOOD DESTROYING PESTS AND ORGANISMS INSPECTION REPORT

Building Address: 1441 E Divisadero St., Fresno, CA 93721		Date of Inspection 09/19/2024	Number of Pages 5
EagleShield Pest Control Inc 2974 Phillip Ave Clovis CA 93612 Phone: (559) 475-6805 Fax:		Report # W9090	
		Lic. Registration # PR 7017	
		Escrow #	
Ordered by: Fresno Economic Opportunities Commissions 1441 E Divisadero St. Fresno, CA 93721	Property Owner and/or Party of Interest: Fresno Economic Opportunities Commissions 1441 E Divisadero St. Fresno, CA 93721	Report Sent to: Fresno Economic Opportunities Commissions 1441 E Divisadero St. Fresno, CA 93721	
COMPLETE REPORT <input type="checkbox"/> LIMITED REPORT <input checked="" type="checkbox"/> SUPPLEMENTAL REPORT <input type="checkbox"/> REINSPECTION REPORT <input type="checkbox"/>			
General Description: Single Story, Commercial Building, Composition Roof, Vinal Siding, Slab on Grade, No Garage, Occupied.		Inspection Tag Posted: Water Heater Closet	
		Other Tags Posted: None	
An inspection has been made of the structure(s) shown on the diagram in accordance with the Structural Pest Control Act. Detached porches, detached steps, detached decks and any other structures not on the diagram were not inspected.			
Subterranean Termites <input type="checkbox"/> Drywood Termites <input checked="" type="checkbox"/> Fungus / Dryrot <input type="checkbox"/> Other Findings <input type="checkbox"/> Further Inspection <input type="checkbox"/>			
If any of the above boxes are checked, it indicates that there were visible problems in accessible areas. Read the report for the details on checked items.			



This Diagram is not to scale

Inspected by: Luke Miraflor State License No. FR 61752 Signature

You are entitled to obtain copies of all reports and completion notices on this property reported to the Structural Pest Control Board during the preceding two years. To obtain copies contact: Structural Pest Control Board, 2005 Evergreen Street, Ste. 1500, Sacramento, California 95815.

NOTE: Questions or problems concerning the above report should be directed to the manager of the company. Unresolved questions or problems with the services performed may be directed to the Structural Pest Control Board at (916) 561-8708, (800) 737-8188 or www.pestboard.ca.gov

SECOND PAGE OF STANDARD INSPECTION REPORT OF THE PROPERTY LOCATED AT:

Address 1441 E Divisadero St., Fresno, CA 93721

09/19/2024

W9090

Date

Report #

What Is a Wood Destroying Pest and Organism Inspection Report?

The following explains the scope and limitations of a structural pest control inspection and a Wood Destroying Pest & Organism Inspection Report.

A Wood Destroying Pest & Organism Inspection Report contains findings as to the presence or absence of wood destroying insects or organisms in visible and accessible areas on the date of inspection and contains our recommendations for correcting any infestations, infections, or conditions found. The contents of the wood destroying pest & organism inspection report are governed by the structural pest control act and its rules and regulations. The Wood Destroying Pest & Organism Inspection Reports are good for thirty (30) days from the Date of Inspection.

Some structures may not comply with building code requirements or may have structural, plumbing, electrical, heating and air conditioning, or other defects that do not pertain to this report. This report does not address any such defects as they are not within the scope of the license of the inspector or the company issuing this report.

The following areas are considered inaccessible for purposes of inspection or are not included in a normal inspection report and therefore are excluded in this report: the interior of hollow walls; spaces between an upstairs floor and the ceiling below or a porch deck and soffit below; stall showers over finished ceilings; such structural segments as areas enclosed by bay windows, buttresses, built-in cabinet work, areas under floor covering; any areas requiring the removal of storage, furnishings or appliances; and any areas to which there is no access without defacing or removing lumber, masonry or finished workmanship.

Certain areas are recognized by the industry as inaccessible and/or for other reasons not inspected. These areas include, but are not limited to: inaccessible and/or insulated attics or portions thereof, attics with less than an 18" clear crawl space, the interior of hollow walls, spaces between a floor or porch deck and the ceiling below, areas where there is no access without defacing or tearing out lumber, masonry or finished work that make inspection impractical, and areas or timbers around eaves that would require use of an extension ladder.

Certain areas may be inaccessible for inspection due to construction or storage. We recommend further inspection of areas where inspection was impractical. Re: Structural Pest Control Act, Business and Professions Code Article 1, 8516(b)(9). Stall shower, if any, is water tested in compliance with Title 16 Professional and Vocational Regulations Article 5, §1991.1(12) of the Structural Pest Control Act. The absence or presence of leaks through sub-floor, adjacent floors or walls will be reported. This is a report of the condition of the stall shower at the time of inspection only, and should not be confused as a guarantee. Although we make a visual examination, we do not deface or probe into window or door frames, decorative trim, roof members, etc., in search of wood destroying pests or organisms.

"This company will reinspect repairs done by others within four months of the original inspection. A charge, if any, can be no greater than the original inspection fee for each reinspection. The reinspection must be done within ten (10) working days of request. The reinspection is a visual inspection and if inspection of concealed areas is desired, inspection of work in progress will be necessary. Any guarantees must be received from parties performing repairs."

NOTE: We do not inspect or certify plumbing, plumbing fixtures, etc.

NOTE: "The exterior surface of the roof was not inspected. If you want the water tightness of the roof determined, you should contact a roofing contractor who is licensed by the Contractors' State License Board."

"NOTICE: The charge for service that this company subcontracts to another registered company may include the company's charges for arranging and administering such services that are in addition to the direct costs associated with paying the subcontractor. You may accept EagleShield Pest Control Inc's bid or you may contract directly with another registered company licensed to perform the work.

If you choose to contract directly with another registered company, EagleShield Pest Control Inc will not in any way be responsible for any act or omission in the performance of work that you directly contract with another to perform."

"NOTICE: Reports on this structure prepared by various registered companies should list the same findings (i.e. termite infestations, termite damage, fungus damage, etc.). However, recommendations to correct these findings may vary from company to company. You have a right to seek a second opinion from another company."

This Wood Destroying Pest & Organisms Report DOES NOT INCLUDE MOLD or any mold like conditions. No reference will be made to mold or mold-like conditions. Mold is not a Wood Destroying Organism and is outside the scope of this report as defined by the Structural Pest Control Act. If you wish your property to be inspected for mold or mold-like conditions, please contact the appropriate mold professional.

"Local treatment is not intended to be an entire structure treatment method. If infestations of wood-destroying pests extend or exist beyond the area(s) of local treatment, they may not be exterminated."

THIRD PAGE OF STANDARD INSPECTION REPORT OF THE PROPERTY LOCATED AT:

Address 1441 E Divisadero St., Fresno, CA 93721

09/19/2024

W9090

Date

Report #

This is a separated report which is defined as Section I/Section II conditions evident on the date of the inspection. Section I contains items where there is visible evidence of active infestation, infection or conditions that have resulted in or from infestation of infection. Section II items are conditions deemed likely to lead to infestation or infection but where no visible evidence of such was found. Further inspection items are defined as recommendations to inspect area(s) which during the original inspection did not allow the inspector access to complete the inspection and cannot be defined as Section I or Section II.

FINDINGS AND RECOMMENDATIONS

Other Interior:

10A PRICE: \$650.00 (Section I)
FINDINGS: Evidence of drywood termite infestation at JOIST as indicated on the diagram.
RECOMMENDATION: Chemically treat visible and accessible infestations. Remove or cover accessible pellets.

In accordance with the laws and regulations of the State of California, we are required to provide you with the following information prior to application of pesticides to your property.

"State law requires that you be given the following information: CAUTION--PESTICIDES ARE TOXIC CHEMICALS. Structural Pest Control Companies are registered and regulated by the Structural Pest Control Board, and apply pesticides which are registered and approved for use by the California Department of Pesticide Regulation and the United States Environmental Protection Agency. Registration is granted when the state finds that, based on existing scientific evidence, there are no appreciable risks if proper use conditions are followed or that the risks are outweighed by the benefits. The degree of risk depends upon the degree of exposure, so exposure should be minimized."

"If within 24 hours following application you experience symptoms similar to common seasonal illness comparable to the flu, contact your physician or poison control center (800) 222-1222 and your pest control company immediately."

For further information, contact any of the following:

- EagleShield Pest Control Inc (559) 475-6805
- Poison Control Center (800) 222-1222
- (Health Questions) County Health Dept.
 - Fresno County (559) 600-3550
 - Madera County (559) 675-7893
 - Merced County (209) 381-1200
 - Kings County (559) 584-1401
 - Tulare County (559) 624-8000
 - Orange County (714) 834-3155
 - Los Angeles County (213) 240-8117
 - San Bernardino County (800) 782-4264
 - Riverside County (951) 358-5000
 - San Diego County (619) 229-5400

- (Application Info.) County Agriculture Commission
 - Fresno County (559) 600-7510
 - Madera County (559) 675-7876
 - Merced County (209) 385-7431
 - Kings County (559) 852-2830
 - Tulare County (559) 684-3350
 - Orange County (714) 955-0100
 - Los Angeles County (626) 575-5471
 - San Bernardino County (909) 387-2105
 - Riverside County (951) 955-3045
 - San Diego County (858) 694-2739

Structural Pest Control Board (Regulatory Info.) (916) 561-8704
2005 Evergreen Street, Ste. 1500 Sacramento, CA 95815

FOURTH PAGE OF STANDARD INSPECTION REPORT OF THE PROPERTY LOCATED AT:

Address 1441 E Divisadero St., Fresno, CA 93721

09/19/2024

W9090

Date

Report #

TERMITE AND FUNGUS CONTROL CHEMICALS

Termidor Foam (EPA Reg. No. 499-563)

Active Ingredients: Fipronil [5-amino-1-(2,6-dichloro-4-(trifluoromethyl)phenyl)-4-((1,R,S)-(trifluoromethyl)sulfinyl)-1-H-pyrazole-3-carbonitrile) - .005%

Termidor H-E (EPA Reg. No. 7969-329)

Active Ingredients: Fipronil: 5-amino-1-(2,6-dichloro-4-trifluoromethyl)phenyl]-4-[(1,R,S)-(trifluoromethyl)sulfinyl]-1H-pyrazole-3-carbonitrile - 8.73%

NOTICE TO OWNER

Under the California Mechanics Lien Law any structural pest control company which contracts to do work for you, any contractor, subcontractor, laborer, supplier or other person who helps to improve your property, but is not paid for his or her work or supplies, has a right to enforce a claim against your property. This means that after a court hearing, your property could be sold by a court officer and the proceeds of the sale used to satisfy the indebtedness. This can happen even if you have paid your structural pest control company in full if the subcontractor, laborers or suppliers remain unpaid.

To preserve their right to file a claim or lien against your property, certain claimants such as subcontractors or material suppliers are required to provide you with a document entitled "Preliminary Notice." Prime contractors and laborers for wages do not have to provide this notice. A Preliminary Notice is not a lien against your property. Its purpose is to notify you of persons who may have a right to file a lien against your property if they are not paid.

NOTE: If the Home Owner fails to pay billing in full, EagleShield Pest Control Inc will have the right to be paid back for all of its costs and expenses to the extent not prohibited by applicable law. Those expenses include, for example (but not limited to), reasonable attorney's fees. If for any reason this account is to be turned over to our collection agency, you will be responsible for all costs of collecting.

Address 1441 E Divisadero St., Fresno, CA 93721

09/19/2024

W9090

Date

Report #

Findings and Recommendations estimated by this Company:

Item	Approval	Primary Estimate	Section
10A	<input type="checkbox"/>	\$650.00	I

Complete all of the items quoted above with Primary Estimate.

Total Estimate \$650.00

Complete only the above Items checked.

Total \$ _____

I have read and understand the terms of the Report referenced above and agree to the terms and conditions set forth. EagleShield Pest Control Inc is hereby authorized to complete the Items selected above and it is agreed that payment shall be made as follows:

Payment shall be made as follows: With close of Escrow \$ _____ Deposit \$ _____ on Completion

Escrow Number: _____ Escrow Company: _____ Escrow Officer: _____

Phone () _____ - _____ Email: _____ Address: _____

Owner or Authorized Representative: Owner Representative's Title: _____

Print Name: _____ X _____ Date _____

Owner or Authorized Representative: Owner Representative's Title: _____

Print Name: _____ X _____ Date _____

